Sheet	1	of	6
U 11001	•	V I	v

ATTY. DOCKET: 17637(BOT)	SERIAL NO.: 10/731,973
APPLICANT: FIRST, ERIC R.	TITLE: BOTULINUM TOXIN THERAPY FOR SKIN DISORDERS
FILING DATE: 12/9/03	GROUP: 1645

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NO.	DATE	NAME	CLASS	SUB-CLASS	FILING DATE (if applicable)
U	AA	10/194,805		Donovan, Stephen			7/11/2002
	AB	5,437,291	8/1/1995	Pasricha et al.			
	AC	5,670,484	9/23/1997	Binder, William	_		
	AD	5,714,468	2/3/1998	Binder, William			
	AE	5,766,605	6/16/1998	Sanders et al.			
	AF	5,989,545	11/23/1999	Foster et al.			
	AG	6,063,768	5/16/2000	First, Eric			
	AH	6,139,845	10/31/2000	Donovan, Stephen			
	Al	6,265,379	7/24/2001	Donovan, Stephen			
l l	AJ	6,299,893	10/9/2001	Schwartz et al.	_		
	AK	6,306,423	10/23/2001	Donovan et al.			
	AL.	6,312,708	11/6/2001	Donovan, Stephen			
	AM	6,358,926	3/19/2002	Donovan, Stephen			
	AN	6,423,319	7/23/2002	Brooks et al.			
	AO	6,458,365	10/1/2002	Aoki et al.			
1/1	AP	6,464,986	10/15/2002	Aoki et al.			

FOREIGN PATENT DOCUMENTS

	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUB-CLASS	TRANSLATION (yes/no)
 ВА						

OTHER ART

(Including Author, Title, Date, Pertinent Pages, etc.)

IT	CA	Andreadis S., et al., <i>Keratinocyte growth factor induces hyperproliferation and delays differentiation in a skin equivalent model system,</i> FASEB J. 2001 Apr;15(6):898-906
	СВ	Aoki K., et al, <i>Mechanisms of the antinociceptive effect of subcutaneous Botox: Inhibition of peripheral and central nociceptive processing</i> , Cephalalgia 2003 Sep;23(7):649

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Sheet	2	of	6
-------	---	----	---

=10.0.7111	OITED DI ALI EIOAITI
ATTY. DOCKET: 17637(BOT)	SERIAL NO.: 10/731,973
APPLICANT: FIRST, ERIC R	TITLE: BOTULINUM TOXIN THERAPY FOR SKIN DISORDERS
FILING DATE: 12/9/03	GROUP: 1645

17	CC	Arredondo J., et al., Central role of alpha7 nicotinic receptor in differentiation of the stratified squamous epithelium, J Cell Biol. 2002 Oct 28;159(2):325-36
	CD	Asahina A., et al., Specific induction of cAMP in Langerhans cells by calcitonin gene-related peptide: relevance to functional effects, Proc Natl Acad Sci U S A. 1995 Aug 29;92(18):8323-7
	CE	Bigalke H., et al., Botulinum A Neurotoxin Inhibits Non-Cholinergic Synaptic Transmission in Mouse Spinal Cord Neurons in Culture, Brain Research 360;318- 324:1985
	CF	Bigalke H., et al., Tetanus Toxin and Botulinum A Toxin Inhibit Release and Uptake of Various Transmitters, as Studied with Particulate Preparations From Rat Brain and Spinal Cord, Naunyn-Schmiedeberg's Arch Pharmacol 316;244-251:1981
	CG	Binz T. et al., The Complete Sequence of Botulinum Neurotoxin Type A and Comparison with Other Clostridial Neurotoxins, J Biological Chemistry 265(16);9153-9158:1990
X	СН	Brem, H., et al, Placebo-Controlled Trial of Safety and Efficacy of Intraoperative Controlled Delivery by Biodegradable Polymers of Chemotherapy for Recurrent Gliomas, Lancet 345;1008-1012:1995
	CI	Bushara K., Botulinum toxin and rhinomhea, Otolaryngol Head Neck Surg 1996;114(3):507
DIT	Ci	Chen W., et al., <i>Trophic interactions between sensory nerves and their targets</i> , Journal of Biomedical Science. 1999;6(2):79-85
A	СК	Chiang H-Y, et al., Regional difference in epidermal thinning after skin denervation, Exp Neurol 1998;154(1):137-45
is	CL	Chien., et al., (2001) Quantitative pathology of cutaneous nerve terminal degeneration in the human skin, Acta Neuropathologica 102:455-461
	СМ	Duggan et al.; A survey of Botulinum neurotoxin substrate expression in cells; Mov Disord, 10(3):376:1995
LT	CN	Fung L. K. et al., Pharmacokinetics of Interstitial Delivery of Carmustine 4- Hydroperoxycyclophosphamide and Paclitaxel From a Biodegradable Polymer Implant in the Monkey Brain, Cancer Research 58;672-684:1998
	co.	Gonelle-Gisprt et al.; Snap -25a and -25b isoforms are both expressed in insulin- secreting cells and can function in insulin secretion; Biochem -,J 1;339 (pt 1):159- 65:1999
	СР	Grando S., <i>Biological functions of keratinocyte cholinergic receptors,</i> J Investig Dermatol Symp Proc. 1997 Aug;2(1):41-8

EXAMINER PLEVIOUSLY CONSIDERED DATE CONSIDERED S TO LOY
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication-to applicant.

Sheet	3	of	6
011001		O 1	•

ATTY. DOCKET: 17637(BOT)	SERIAL NO.: 10/731,973
APPLICANT: FIRST, ERIC R MAR 0 3 2004	TITLE: BOTULINUM TOXIN THERAPY FOR SKIN DISORDERS
FILING DATE: 12/9/03	GROUP: 645

	CQ	Grando S., et al., Activation of keratinocyte nicotinic cholinergic receptors stimulates
14	"	calcium influx and enhances cell differentiation. Invest Dermatol. 1996
1	CR	Grando S., et al., Human keratinocytes synthesize, secrete, and degrade
	0	
	cs	acetylcholine J Invest Dermatol. 1993 Jul;101(1):32-6
	5	Grando S., et al., Keratinocyte muscarinic acetylcholine receptors:
İ	•	immunolocalization and partial characterization, J Invest Dermatol. 1995
		Jan;104(1):95-100
1	CT	Griffin J., et al., Axonal degeneration and disorders of the axonal cytoskeleton. In:
		Waxman S., et al., <u>The Axon</u> . New York: Oxford University Press, 1995:375-390
	CU	Habermann E., et al., Tetanus Toxin and Botulinum A and C Neurotoxins Inhibit
		Noradrenaline Release From Cultured Mouse Brain, J Neurochem 51(2);522-
		527:1988)
	CV	Habermann E., Inhibition by Tetanus and Botulinum A Toxin of the release of
		[3H]Noradrenaline and [3H]GABA From Rat Brain Homogenate, Experientia
		44;224-226:1988
	cw.	1) (about the first transfer to a contract to the first transfer transfer to the first transfer transfe
		Binding to Synaptosomes and Ascent to the Spinal Cord; Nauny-Schmiedeberg's
		Arch. Pharmacol. 1974; 281, 47-56
	СХ	Harrison's Principles of Internal Medicine (1998), edited by Anthony Fauci et al.,
· \		14th edition, published by McGraw Hill
	CY	Hokfelt T., Neuropeptides in perspective: The last ten years, Neuron 1991; 7: 867-
	, i	879
	CZ	Hosoi J., et al., Regulation of Langerhans cell function by nerves containing
1	. 4	calcitonin gene-related peptide, Nature. 1993 May 13;363(6425):159-63
	CAA	Hsieh S., et al., Epidermal denervation and its effects on keratinocytes and
		Langerhans cells, J Neurocytol. 1996 Sep;25(9):513-24
	СВВ	Hsieh S., et al., Modulation of keratinocyte proliferation by skin innervation. Journal
		of Investigative Dermatology, 1999;113(4):579-86
	ccc	Hsieh S., et al., Pathology of nerve terminal degeneration in the skin, Journal of
		Neuropathology & Experimental Neurology. 2000;59(4):297-307
	CDD	Hsieh S., et al., Skin Innervation and Its Effects on the Epidermis, J Biomed Sci.
		1997;4(5):264-268
	CEE	
1 1 1		Epidermal Thickness in Mice; Neuroscience. 1999;94(3):965-73

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ATTY. DOCKET: 17637(BOT)	SERIAL NO.: 10/731,973
APPLICANT: FIRST, ERIC R	TITLE: BOTULINUM TOXIN THERAPY FOR SKIN DISORDERS
FILING DATE: 12/9/03	GROUP: 1645

	C	Inaba N., et al., Capsaicin-induced calcitonin gene-related peptide release from
1 1 -	7	isolated rat stomach measured with a new chemiluminescent enzyme
	\	immunoassay, Jpn J Pharmacol. 1996 Nov;72(3):223-9
	C	Garage Jankovic J. et al., Therapy With Botulinum Toxin, Marcel Dekker, Inc., (1994), page
		5, 150
	Cł	Johnson M., Synaptic glutamate release by postnatal rat serotonergic neurons in microculture, Neuron 1994; 12: 433-442
	CI	Kaneko T., et al., Immunohistochemical demonstration of glutaminase in catecholaminergic and serotonergic neurons of rat brain, Brain Res. 1990; 507: 141-154
	C.	adenosine 5'-triphosphate and neuropeptide Y from sympathetic nerve supplying the guinea-pig vas deferens. J. Auton. Nerv. Syst. 1988; 22: 75-82
		Katsambas A., et al., Cutaneous diseases of the foot: Unapproved treatments, Clin Dermatol 2002 Nov-Dec;20(6):689-699
	Cl	Ko M., et al., Cutaneous nerve degeneration induced by acrylamide in mice, Neuroscience Letters.(2000)293(3):195-8
	Ch	Komuves et al., Epidermal Expression of the Full-Length Extracellular Calciumsensing Receptor is Required for Normal Keratinocyte Differentiation; J Cell Physiol. 2002 Jul;192(1):45-54
		Krnjevic K., <i>Central cholinergic mechanisms and function</i> . Prog Brain Res. 1993;98:285-92
		Kupfermann I.; Functional studies of cotransmission. Physiol. Rev. 1991; 71: 683-732.48: 545-59
	CF	Lee M., et al., Clinical and electrophysiological characteristics of inflammatory demyelinating neuropathies, Acta Neurol Taiwan 1997;6:283-288
		Legat F., et al., Repeated subinflammatory ultraviolet B irradiation increases substance P and calcitonin gene-related peptide content and augments mustard oil-induced neurogenic inflammation in the skin of rats, Neurosci Lett. 2002 Sep 6;329(3):309-13
		Li Y, et al., Sensory and motor denervation influences epidermal thickness in rat foot glabrous skin, Exp Neurol 1997;147:452-462 (see page 459)
じ	A CS	Lin Y., et al., (2001) Cutaneous nerve terminal degeneration in painful mononeuropathy, Experimental Neurology. 170(2):290-6

EXAMINER PROVIDED DATE CONSIDERED \$\frac{120 \text{Lot}}{200 \text{Lot}}\$
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ATTY. DOCKET: 17637(BOT)	SERIAL NO.: 10/731,973
APPLICANT: FIRST, ERIC R MAR 0 3 2004	TITLE: BOTULINUM TOXIN THERAPY FOR SKIN DISORDERS
FILING DATE: 12/9/03	GROUP: 1645
MADE	

1	1 °	TT:	Lin Y., et al., Quantitative sensory testing: normative values and its application in diabetic neuropathy, Acta Neurol Taiwan 1998;7:176-184
		บบ	Lundberg J., Pharmacology of cotransmission in the autonomic nervous system: Integrative aspects on amines, neuropeptides, adenosine triphosphate, amino acids and nitric oxide, Pharmacol. Rev. 1996; 48: 113-178
		VV ⁻	McCarthy B., et al., Cutaneous innervation in sensory neuropathies: evaluation by skin biopsy, Neurol 1995;45:1848-1855
		ww	Moyer E et al., Botulinum Toxin Type B: Experimental and Clinical Experience, being chapter 6, pages 71-85 of "Therapy With Botulinum Toxin", edited by Jankovic, J. et al. (1994), Marcel Dekker, Inc.
		XX	Naumann et al.; Botulinum toxin type A in the treatment of focal, axillary and palmar hyperhidrosis and other hyperhidrotic conditions; European J. Neurology 6 (Supp 4): S111-S1150:1999
	С	YY	Ndoye A., et al., <i>Identification and mapping of keratinocyte muscarinic acetylcholine receptor subtypes in human epidermis,</i> J Invest Dermatol. 1998 Sep;111(3):410-6
		ZZ	Nguyen V., et a., <i>Keratinocyte acetylcholine receptors regulate cell adhesion</i> ; Life Sci. 2003 Mar 28;72(18-19):2081-5
	C	AAA	Nguyen V., et al., Programmed cell death of keratinocytes culminates in apoptotic secretion of a humectant upon secretagogue action of acetylcholine J Cell Sci. 2001 Mar;114(Pt 6):1189-204
	C	BBB	Nicholas A. et al., Glutamate-like immunoreactivity in medulla oblongata catecholamine/substance P neurons, NeuroReport 1990; 1: 235-238
	C	ccc	Palacios J., et al., <i>Cholinergic neuropharmacology: an update,</i> Acta Psychiatr Scand Suppl. 1991;366:27-33
	C	DDD	Pan C., et al., (2001) Degeneration of nociceptive nerve terminals in human peripheral neuropathy, Neuroreport. 12(4):787-92
	С	EEE	Pearce, L.B., Pharmacologic Characterization of Botulinum Toxin For Basic Science and Medicine, Toxicon 35(9);1373-1412 at 1393
			Ragona et al.; Management of Parotid Sialocele With Botulinum Toxin; The Laryngoscope 109:1344-1346:1999
	C		Rogers J., et al., <i>Injections of botulinum toxin A in foot dystonia</i> , Neurology 1993 Apr;43(4 Suppl 2
	3 6	ННН	Sanchez-Prieto, J., et al., Botulinum Toxin A Blocks Glutamate Exocytosis From Guinea Pig Cerebral Cortical Synaptosomes, Eur J. Biochem 165;675-681:1997

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

		V. M. O.	ZD DI AI I ZIOAIII
ATTY. DOCKET	: 17637(BOT)	IPE	SERIAL NO.: 10/731,973
APPLICANT:	FIRST, ERIC R.	MAR 0 3 2004 23	TITLE: BOTULINUM TOXIN THERAPY FOR SKIN DISORDERS
FILING DATE:	12/9/03	Editor Division Britain	GROUP: 1645

LI	CIII	Schantz, E.J., et al, <i>Properties and use of Botulinum toxin and Other Microbial</i> Neurotoxins in Medicine, Microbiol Rev. 56;80-99:1992
	cm	Acta Neurol Belg 2002 Dec;102(4):167-70
	CKKK	Natural Toxins II, edited by B.R. Singh et al., Plenum Press, New York (1976)
	CLLL	if it is refrozen or refrigerated for 2 weeks before use; Neurology, 48:249-53:1997
	СММ	noradrenaline are cotransmitters in the guinea-pig vas deferens. J. Physiol. 1984; 347: 561-580
	CNNN	toes, Am J Phys Med Rehabil 2002 Oct;81(10):770-5
		Tacks, L., et al., <i>Idiopathic toe walking: Treatment with botulinum toxin A injection,</i> Dev Med Child Neurol 2002;44(Suppl 91):6
	CPPP	disease and related disorders, J Neural Transm Suppl. 1987;24:175-82
	COOC	Wiegand et al, I-Labelled Botulinum A Neurotoxin: Pharmacokinetics inCats after Intramuscular Injection; <i>Nauny-Schmiedeberg's Arch. Pharmacol.</i> 1976; 292, 161-165
	CARR	Wu T., et al., Demonstration of human papillomavirus (HPV) genomic amplification and viral-like particles from CaSki cell line in SCID mice, J Virol Methods 1997;65:287-298
	CSSS	Xu Z-QD et al, Galanin/GMAP- and NPY-like immunoreactivities in locus coeruleus and noradrenergic nerve terminals in the hippocampal formation and cortex with notes on the galanin-R1 and - R2 receptors, J. Comp. Neurol. 1998; 392: 227-252
	СПТ	Xu Z-QD et al, Galanin-5-hydroxytryptamine interactions: Electrophysiological, immunohistochemical and in situ hybridization studies on rat dorsal raphe neurons with a note on galanin R1 and R2 receptors. Neuroscience 1998; 87: 79-94;
J	CUUU	Zia S., et al., Receptor-mediated inhibition of keratinocyte migration by nicotine involves modulations of calcium influx and intracellular concentration, J Pharmacol Exp Ther. 2000 Jun; 293(3):973-81